



Object ingest transactions

StorageGRID

NetApp

October 03, 2025

This PDF was generated from <https://docs.netapp.com/us-en/storagegrid-116/audit/example-s3-object-ingest.html> on October 03, 2025. Always check docs.netapp.com for the latest.

Table of Contents

Object ingest transactions	1
S3 ingest audit messages	1
Swift ingest audit messages	1
Example: S3 object ingest	1
PUT: S3 PUT	2
ORLM: Object Rules Met	2

Object ingest transactions

You can identify client ingest transactions in the audit log by locating API-specific (S3 or Swift) audit messages.

Not all audit messages generated during an ingest transaction are listed in the following tables. Only the messages required to trace the ingest transaction are included.

S3 ingest audit messages

Code	Name	Description	Trace	See
SPUT	S3 PUT transaction	An S3 PUT ingest transaction has completed successfully.	CBID, S3BK, S3KY	SPUT: S3 PUT
ORLM	Object Rules Met	The ILM policy has been satisfied for this object.	CBID	ORLM: Object Rules Met

Swift ingest audit messages

Code	Name	Description	Trace	See
WPUT	Swift PUT transaction	A Swift PUT ingest transaction has successfully completed.	CBID, WCON, WOBJ	WPUT: Swift PUT
ORLM	Object Rules Met	The ILM policy has been satisfied for this object.	CBID	ORLM: Object Rules Met

Example: S3 object ingest

The series of audit messages below is an example of the audit messages generated and saved to the audit log when an S3 client ingests an object to a Storage Node (LDR service).

In this example, the active ILM policy includes the stock ILM rule, Make 2 Copies.



Not all audit messages generated during a transaction are listed in the example below. Only those related to the S3 ingest transaction (SPUT) are listed.

This example assumes that an S3 bucket has been previously created.

SPUT: S3 PUT

The SPUT message is generated to indicate that an S3 PUT transaction has been issued to create an object in a specific bucket.

```
2017-07-
17T21:17:58.959669 [AUDT: [RSLT (FC32) :SUCS] [TIME (UI64) :25771] [SAIP (IPAD) :"10
.96.112.29"] [S3AI (CSTR) :"70899244468554783528"] [SACC (CSTR) :"test"] [S3AK (CS
TR) :"SGKHyalRU_5cLflqajtaFmxJn9461AWRJfBF33gAOg=="] [SUSR (CSTR) :"urn:sgws:i
dentity::70899244468554783528:root"] [SBAI (CSTR) :"70899244468554783528"] [SB
AC (CSTR) :"test"] [S3BK (CSTR) :"example"] [S3KY (CSTR) :"testobject-0-
3"] [CBID\ (UI64\ ) :0x8EF52DF8025E63A8] [CSIZ (UI64) :30720] [AVER (UI32) :10] [ATIM
(UI64) :150032627859669] [ATYP\ (FC32\ ) :SPUT] [ANID (UI32) :12086324] [AMID (FC32)
:S3RQ] [ATID (UI64) :14399932238768197038]]
```

ORLM: Object Rules Met

The ORLM message indicates that the ILM policy has been satisfied for this object. The message includes the object's CBID and the name of the ILM rule that was applied.

For replicated objects, the LOCS field includes the LDR node ID and volume ID of the object locations.

```
2019-07-
17T21:18:31.230669 [AUDT: [CBID\ (UI64\ ) :0x50C4F7AC2BC8EDF7] [RULE (CSTR) :"Make
2 Copies"] [STAT (FC32) :DONE] [CSIZ (UI64) :0] [UUID (CSTR) :"0B344E18-98ED-4F22-
A6C8-A93ED68F8D3F"] [LOCS (CSTR) :"CLDI 12828634 2148730112, CLDI 12745543
2147552014"] [RSLT (FC32) :SUCS] [AVER (UI32) :10] [ATYP\ (FC32\ ) :ORLM] [ATIM (UI64)
:1563398230669] [ATID (UI64) :15494889725796157557] [ANID (UI32) :13100453] [AMID
(FC32) :BCMS]]
```

For erasure-coded objects, the LOCS field includes the Erasure Coding profile ID and the Erasure Coding group ID

```
2019-02-23T01:52:54.647537
[AUDT: [CBID (UI64) :0xFA8ABE5B5001F7E2] [RULE (CSTR) :"EC_2_plus_1"] [STAT (FC32)
:DONE] [CSIZ (UI64) :10000] [UUID (CSTR) :"E291E456-D11A-4701-8F51-
D2F7CC9AFeca"] [LOCS (CSTR) :"CLEC 1 A471E45D-A400-47C7-86AC-
12E77F229831"] [RSLT (FC32) :SUCS] [AVER (UI32) :10] [ATIM (UI64) :1550929974537] \
[ATYP\ (FC32\ ) :ORLM\ ] [ANID (UI32) :12355278] [AMID (FC32) :ILMX] [ATID (UI64) :41685
59046473725560]]
```

The PATH field includes S3 bucket and key information or Swift container and object information, depending on which API was used.

2019-09-15.txt:2018-01-24T13:52:54.131559
[AUDT:[CBID(UI64):0x82704DFA4C9674F4] [RULE(CSTR):"Make 2
Copies"] [STAT(FC32):DONE] [CSIZ(UI64):3145729] [UUID(CSTR):"8C1C9CAC-22BB-
4880-9115-
CE604F8CE687"] [PATH(CSTR):"frisbee_Bucket1/GridDataTests151683676324774_1_
1vf9d"] [LOCS(CSTR):"CLDI 12525468, CLDI
12222978"] [RSLT(FC32):SUCS] [AVER(UI32):10] [ATIM(UI64):1568555574559] [ATYP(
FC32):ORLM] [ANID(UI32):12525468] [AMID(FC32):OBDI] [ATID(UI64):3448338865383
69336]]

Copyright information

Copyright © 2025 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.