



VDS Logical Hierarchy Overview

Virtual Desktop Service

Toby vanRoojen
February 17, 2021

Table of Contents

VDS Logical Hierarchy Overview 1
 Overview 1

VDS Logical Hierarchy Overview

Overview

VDS organizes concepts into various layers of a logical hierarchy. This article helps to outline how they fit together.

VDS Organizational Scheme

The VDS management portal is found at <https://manage.vds.netapp.com>. This web interface is a single pane of glass for managing all VDS-related objects. Within the VDS web UI, the following hierarchy of components and logical containers exist.

VDS Deployment

The *Deployment* is a VDS concept that organized and contains *VDS Workspace(s)*. In certain deployment architectures a deployment can contain multiple VDS Workspaces.



Running multiple VDS Workspaces within a single Deployment is called "Multi-Tenancy" and is only an option in RDS deployments, AVD deployments do not support this approach.

A deployment is defined by its Active Directory domain and there is a 1:1 relationship between the AD domain and a Deployment.

There are certain VM resources that are deployed to support a deployment that are shared across all VDS Workspaces in the deployment. E.g. every Deployment contains a VM named "CWMGR1" which is a server that run VDS applications, a SQL Express database and facilitates management of the VDS Workspace(s) (and the contained resources) within the Deployment.

VDS Workspace



There is a difference between a "**VDS** Workspace" and a "**AVD** Workspace".

A VDS Workspace is a logical container inside the deployment for the client (end user) resources. These resources include Virtual Machines (for session hosts, application servers, database servers, file servers etc.), virtual networking, storage and other hypervisor infrastructure.

The VDS Workspace also contains management functionality to manage Users, Security Groups, Workload Scheduling, Applications, Automation, VMs, and AVD configuration.

Typically a VDS Workspace is aligned with a single company, or (in enterprise deployments), a business unit.

VDS Sites

Within a deployment, multiple Sites can be created to represent different infrastructure providers, all managed within a single deployment.

This is helpful when a single company or business unit needs to host users and apps across multiple physical locations (e.g North America and EMEA), hypervisor subscriptions (to align costs to business units) and even hypervisors (E.g. users in Azure, Google Compute and on-premises HCI on vSphere).

AVD Workspaces



There is a difference between a "VDS Workspace" and a "AVD Workspace".

A AVD Workspace is a logical container that sits inside a VDS Workspace and VDS Site. It that can be used similarly to a VDS Site for segmenting management and operational policies in the same deployment.

AVD Host Pools

AVD Host Pools are logical container that sit inside a AVD Workspace and hold the Session Hosts and App Groups users to server the user sessions and control access to individual resources.

AVD App Groups

Each AVD Host Pool starts with a single "Desktop" App Group. Users and/or groups can be assigned to this (or other) App Group to allow access to the resources in the App Group to the assigned users.

Additional App Groups can be created within a host pool in VDS. All Additional App Groups are "RemoteApp" App Groups and serve RemoteApp resources as opposed to a full windows desktop experience.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.