



Backing up the OnCommand Workflow Automation database

OnCommand Workflow Automation 5.1

NetApp
May 03, 2022

Table of Contents

- Backing up the OnCommand Workflow Automation database 1
 - Backup and restoration of user credentials 1
 - Back up the WFA database from the web portal 1
 - Back up the WFA database using the PowerShell script 2
 - Backing up the WFA database using the CLI 2
 - Backing up the WFA database using REST APIs 4

Backing up the OnCommand Workflow Automation database

A backup of the OnCommand Workflow Automation (WFA) database includes the system configuration settings and cache information, including the playground database. You can use the backup for restoration purposes on the same system or on a different system.

An automatic backup of the database is created daily at 2 a.m. and is saved as a .zip file in the following location: `wfa_install_location/WFA-Backups`.

WFA saves up to five backups in the WFA-Backups directory, and replaces the oldest backup with the latest backup. The WFA-Backups directory is not deleted when you uninstall WFA. You can use the automatically created backup for restoration if you did not create a backup of the WFA database while uninstalling WFA.

You can also manually back up the WFA database when you have to save specific changes for restoration; for example, if you want to back up the changes that you have made before the automatic backup occurs.



- You can restore a WFA database backup only to a system that is running the same version or a later version of WFA.
- For example, if you created a backup on a system that is running WFA 4.2, the backup can be restored only to systems that are running WFA 4.2 or later.
- You cannot use the web UI to back up the WFA database during disaster recovery in a high-availability setup.

Backup and restoration of user credentials

The backup of the WFA database includes the WFA user credentials.



The WFA database is also included in the AutoSupport data; however, the password of any WFA user is not included in the AutoSupport data.

When a WFA database is restored from a backup, the following items are preserved:

- The admin user credentials that were created during the current WFA installation.
- If a user with admin privileges other than the default admin user restores the database, the credentials of both the admin users.
- All other user credentials of the current WFA installation are replaced with the user credentials from the backup.

Back up the WFA database from the web portal

You can back up the OnCommand Workflow Automation (WFA) database from the web portal and use the backup file for data recovery purposes. You cannot perform a full backup from the web portal.

You must have admin or architect credentials to perform this task.

A WFA user with backup role cannot log in to the web portal to perform a backup. The WFA users with backup role can only perform remote or scripted backups.

Steps

1. Log in to the WFA web GUI as an admin.
2. Click **Settings** and under **Maintenance**, click **Backup & Restore**.
3. Click **Backup**.
4. In the dialog box that opens, select a location, and then save the file.

Back up the WFA database using the PowerShell script

If you want to back up the OnCommand Workflow Automation (WFA) database frequently, you can use the PowerShell script that is provided with the WFA installation package.

You must have admin user credentials, architect credentials, or backup user credentials.

For more information, see the REST documentation.

Steps

1. Open Windows PowerShell as an admin user, and then back up the WFA database:

```
<WFA_install_location\WFA\bin\Backup.ps1> -User user_name -Password password  
-Path backup_file_path
```

 - WFA_install_location is the WFA installation directory.
 - user_name is the user name of the admin user, architect, or backup user.
 - password is the password of the admin user, architect, or backup user.
 - backup_file_path is the complete directory path for the backup file.



The backup file is a zip file with the name in the following format: wfa_backup_servername_.zip

- wfa_backup_ is a fixed portion of the file name, which is the name of the backup server.
- servername is extracted from the environment of the Windows server.
- _.zip is a fixed portion of the file name.

```
C:\Program Files\NetApp\WFA\bin\Backup.ps1 -User  
backup -Password MyPassword123 -Path C:\WFA_backups\backup_10_08_12
```

After the backup is complete, the following output is displayed:

```
C:\WFA_backups\backup_1008_12\wfa_backup_myserver.zip . Verify that the backup file was created at  
the specified location.
```

Backing up the WFA database using the CLI

If you want to back up the OnCommand Workflow Automation (WFA) database frequently, you can use the WFA command-line interface (CLI) provided with the WFA installation package.

The following are the two backup types:

- Full backup
- Regular backup

Back up (full) the WFA database using the CLI

You can perform a full backup of the OnCommand Workflow Automation (WFA) database by using the WFA command-line interface (CLI). In a full backup, the WFA database, WFA configuration, and key are backed up.

You must have admin user credentials or architect credentials.

In a high-availability environment, you should create scheduled backups by using REST APIs. You cannot create backups by using the CLI when WFA is in failover mode.

For more information, see the REST documentation.

Steps

1. At the shell prompt, navigate to the following directory on the WFA server:

```
WFA_install_location\WFA\bin.
```

WFA_install_location is the WFA installation directory.

2. Back up the WFA database:

```
.\wfa --backup --user=USER [--password=PASS] [--location=PATH] [--full]
```

- user is the user name of the backup user.
- password is the password of the backup user.

If you have not provided the password, you must enter the password when prompted.

- path is the complete directory path to the backup file.

3. Verify that the backup file was created at the specified location.

Back up (regular) the WFA database using the CLI

You can perform a regular backup of the OnCommand Workflow Automation (WFA) database by using the WFA command-line interface (CLI). In a regular backup, only the WFA database is backed up.

You must have admin user credentials, architect credentials, or backup user credentials.

In a high-availability environment, you should create scheduled backups by using REST APIs. You cannot create backups by using the CLI when WFA is in failover mode.

For more information, see the REST documentation.

Steps

1. At the shell prompt, navigate to the following directory on the WFA server:

```
WFA_install_location\WFA\bin.
```

WFA_install_location is the WFA installation directory.

2. Back up the WFA database:

```
.\wfa --backup --user=USER [--password=PASS] [--location=PATH]
```

- user is the user name of the backup user.
- password is the password of the backup user.

If you have not provided the password, you must enter the password when prompted.

- path is the complete directory path to the backup file.

3. Verify that the backup file was created at the specified location.

Backing up the WFA database using REST APIs

You can back up the OnCommand Workflow Automation (WFA) database by using the REST APIs. If WFA is in the failover mode in a high-availability environment, you can use the REST APIs to create scheduled backups. You cannot use the command-line interface (CLI) to create backups during a failover.

The following are the two types of backup:

- Full backup
- Regular backup

Perform a full backup of the WFA database using REST APIs

You can perform a full back up of the OnCommand Workflow Automation (WFA) database by using the REST APIs. In a full backup, the WFA database, WFA configuration, and key are backed up.

You must have admin or architect credentials.

Step

1. Enter the following URL in your web browser: `https://IP address of the WFA server/rest/backups?full=true`

For more information, see the REST documentation.

Perform a regular backup of the WFA database using REST APIs

You can perform a regular backup of the OnCommand Workflow Automation (WFA) database by using the REST APIs. In a regular backup, only the WFA database is backed up.

You must have admin, architect, or backup credentials.

Step

1. Enter the following URL in your web browser: `https://IP address of the WFA server/rest/backups`

For more information, see the REST documentation.

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.