

Manage backups to object storage

Amazon FSx for NetApp ONTAP

NetApp September 02, 2024

This PDF was generated from https://docs.netapp.com/us-en/workload-fsx-ontap/create-backup.html on September 02, 2024. Always check docs.netapp.com for the latest.

Table of Contents

Manage backups to object storage	I
Create a manual backup of a volume	I
Restore a volume from a backup	I

Manage backups to object storage

Create a manual backup of a volume

Create a manual backup of a volume outside regularly scheduled backups.

About this task

FSx for ONTAP backups are per volume, so each backup contains only the data in a particular volume.

FSx for ONTAP backups are incremental which means that only the data on the volume that has changed after your most recent backup is saved. This minimizes the time required to create the backup and the storage required for the backup, which saves on storage costs by not duplicating data.

Before you begin

To take backups of your volumes, both your volume and your file system must have enough available SSD storage capacity to store the backup snapshot. When taking a backup snapshot, the additional storage capacity consumed by the snapshot cannot cause the volume to exceed 98% SSD storage utilization. If this happens, the backup will fail.

Steps

- 1. Log in to the Workload Factory console
- 2. In Storage, select Go to storage inventory.
- 3. In the **FSx for ONTAP** tab, click the three dots menu of the file system with the volume and then select **Manage**.
- 4. In the file system overview, select the **Volumes** tab.
- 5. From the **Volumes** tab, click the three dots menu for the volume to back up.
- 6. Select Data protection actions, FSx for ONTAP backup, and then Manual backup.
- 7. In the Manual backup dialog, enter a name for the backup.
- 8. Click Back up.

Restore a volume from a backup

Restore a volume from a backup to any FSx for ONTAP file system in your AWS account.

Steps

- 1. Log in to the Workload Factory console
- 2. In Storage, select **Go to storage inventory**.
- 3. In the **FSx for ONTAP** tab, click the three dots menu of the file system with the volume and then select **Manage**.
- 4. In the file system overview, select the Volumes tab.
- 5. From the **Volumes** tab, click the three dots menu for the volume to restore from a backup.
- 6. Select Data protection actions, FSx for ONTAP backup, and then Restore from a backup.
- 7. In the Restore from a backup dialog, provide the following:
 - a. Target file system: Select the target file system from the dropdown menu.

- b. Target storage VM: Select the target storage VM from the dropdown menu.
- c. **Backup name**: Select the backup name from the dropdown menu.
- d. Restored volume name: Enter the restored volume name.
- 8. Click Restore.

Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.