



# Migrate SMB data

## XCP

NetApp  
February 16, 2024

# Table of Contents

- Migrate SMB data. . . . . 1
  - Copy . . . . . 1
  - Sync . . . . . 1
  - Verify . . . . . 1
- NTFS Alternate Data Streams migration for SMB . . . . . 2

# Migrate SMB data

After planning the migration with the `show` and `scan` commands, you can migrate the SMB data.

## Copy

The `copy` command scans and copies the entire source directory structure to a destination SMB share. The `copy` command requires having source and destination paths as variables. The scanned and copied files, throughput/speed, and elapsed time details are printed to the console once every five seconds.



During the copy operation, you can use the `-preserve-atime` flag with the `copy` command to preserve access time at the source.

### Example:

```
C:\xcp>xcp copy \\<source SMB share> \\<destination SMB share>
```

Run `xcp help copy` for more details.

## Sync

The `sync` command scans for changes and modifications in the source and target shares in parallel, and applies the appropriate actions (remove, modify, rename, and so on) to the target to make sure that the target is identical to the source.

The `sync` command compares data content, time stamps, file attributes, ownership, and security information.



During the sync operation, you can use the `-preserve-atime` flag with the `sync` command to preserve access time at the source.

### Example:

```
C:\xcp>xcp sync \\<source SMB share> \\<destination SMB share>
```

Run `xcp help sync` for more details.

## Verify

The `verify` command reads both source and target shares and compares them, providing information about what is different. You can use the command on any source and destination, regardless of the tool used to perform the copy or sync.



During the verify operation, you can use the `-preserve-atime` flag with the `verify` command to preserve access time at the source.

**Example:**

```
C:\xcp>xcp verify \\<source SMB share> \\<destination SMB share>
```

Run `xcp help verify` for more details.

## NTFS Alternate Data Streams migration for SMB

Beginning with XCP 1.9.3, XCP SMB supports migration of NTFS Alternate Data Streams (ADS) by using the `-ads` option with the XCP SMB commands.

### Supported use cases

You can use the XCP SMB `copy` and `sync` commands to migrate data that includes ADS, and the XCP SMB `scan` command to scan the SMB share for ADS.

### Supported XCP SMB commands

The following XCP SMB commands support the `-ads` option:

- `scan`
- `copy`
- `verify`
- `sync`

### Command examples

The following example commands show how to use the `-ads` option:

- `xcp scan -ads \\<SMB share>`
- `xcp copy -ads \\<source SMB share> \\<destination SB share>`
- `xcp sync -ads \\<source SMB share> \\<destination SB share>`
- `xcp verify -ads \\<source SMB share> \\<destination SB share>`

## Copyright information

Copyright © 2024 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

## Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.