



Cloud Volumes ONTAP に接続しています Cloud Manager

Ben Cammett, Tom Onacki
August 03, 2021

目次

Cloud Volumes ONTAP に接続しています	1
System Manager に接続しています	1
Cloud Volumes ONTAP CLI に接続しています	1

Cloud Volumes ONTAP に接続しています

Cloud Volumes ONTAP の高度な管理を実行する必要がある場合は、OnCommand System Manager またはコマンドラインインターフェイスを使用します。

System Manager に接続しています

一部の Cloud Volumes ONTAP タスクを System Manager から実行する必要がある場合があります。System Manager は、Cloud Volumes ONTAP システム上で稼働するブラウザベースの管理ツールです。たとえば、LUN を作成する場合は、System Manager を使用する必要があります。

Cloud Manager にアクセスするコンピュータは、Cloud Volumes ONTAP にネットワーク接続している必要があります。たとえば、クラウドプロバイダネットワークにあるジャンプホストから Cloud Manager へのログインが必要になることがあります。



複数の AWS 可用性ゾーンに導入されている場合、Cloud Volumes ONTAP HA 構成では、クラスタ管理インターフェイスにフローティング IP アドレスが使用されます。つまり、外部ルーティングは使用できません。同じルーティングドメインの一部であるホストから接続する必要があります。

手順

1. キャンバスページで、System Manager で管理する Cloud Volumes ONTAP システムをダブルクリックします。
2. メニューアイコンをクリックし、* Advanced > System Manager * をクリックします。
3. [* 起動 *] をクリックします。

System Manager が新しいブラウザタブにロードされます。

4. ログイン画面で、[ユーザー名] フィールドに「* admin *」と入力し、作業環境の作成時に指定したパスワードを入力して、[* サインイン *] をクリックします。

System Manager コンソールがロードされます。これで、Cloud Volumes ONTAP の管理に使用できるようになりました。

Cloud Volumes ONTAP CLI に接続しています

Cloud Volumes ONTAP CLI では、すべての管理コマンドを実行できます。高度なタスクを実行する場合や、CLI を使い慣れている場合は、CLI の使用を推奨します。Secure Shell (SSH) を使用して CLI に接続できます。

SSH を使用して Cloud Volumes に接続するホスト ONTAP は、Cloud Volumes ONTAP にネットワーク接続している必要があります。たとえば、AWS または Azure の Jump ホストから SSH を使用する必要がある場合があります。




複数の AZS に導入されている場合、Cloud Volumes ONTAP HA 構成では、クラスタ管理インターフェイスにフローティング IP アドレスが使用されます。これは、外部ルーティングが使用できないことを意味します。同じルーティングドメインの一部であるホストから接続する必要があります。

手順

1. Cloud Manager で、クラスタ管理インターフェイスの IP アドレスを特定します。
 - a. キャンバスページで、Cloud Volumes ONTAP システムを選択します。
 - b. 右側のペインに表示されるクラスタ管理 IP アドレスをコピーします。
2. SSH を使用して、admin アカウントを使用してクラスタ管理インターフェイスの IP アドレスに接続します。

◦ 例 *

次の図は、PuTTY を使用した例を示しています。



The image shows a PuTTY configuration dialog box titled "Specify the destination you want to connect to". It has two input fields: "Host Name (or IP address)" containing "admin@192.168.111.5" and "Port" containing "22". Below these fields is a "Connection type:" section with five radio buttons: "Raw", "Telnet", "Rlogin", "SSH" (which is selected), and "Serial".

3. ログインプロンプトで、admin アカウントのパスワードを入力します。

◦ 例 *

```
Password: *****  
COT2::>
```

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.