



URL format

Astra Automation

David Peterson
April 15, 2021

Table of Contents

URL format 1
 Format of the URL 1

URL format

The general structure of the URL used to access a resource instance or collection through the REST API is composed of several values. This structure reflects the underlying object model and system design.

Format of the URL

The format of the URL with an example is presented below.

Account as the root

The root of the resource path to every REST endpoint is the Astra account. And so all paths in the URL begin with `/account/{account_id}` where `account_id` is the unique UUIDv4 value for the account. Internally structure this reflects a design where all resource access is based on a specific account.

Endpoint resource category

The Astra resource endpoints fall into three different categories:

- Core (`/core`)
- Managed application (`/k8s`)
- Topology (`/topology`)

See [Resources](#) for more information.

Category version

Each of the three resource categories has a global version that controls the version of the resources accessed. By convention and definition, moving to a new major version of a resource category (such as, from `/v1` to `/v2`) will introduce breaking changes in the API.

Resource instance or collection

A combination of resource types and identifiers can be used in the path, based on whether a resource instance or collection is accessed.

Example

- Resource path

Based on the structure presented above, a typical path to an endpoint is: `/accounts/{account_id}/core/v1/users`.

- Complete URL

The full URL for the corresponding endpoint is: `https://astra.netapp.io/accounts/{account_id}/core/v1/users`.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.