



Unmanage apps and compute

Astra

Ben Cammett, Erika Barcott
June 08, 2021

Table of Contents

- Unmanage apps and compute 1
- Stop managing an app 1
- Stop managing compute 1
- Deleting clusters from your cloud provider 1

Unmanage apps and compute

Remove any apps or compute that you no longer want to manage from Astra Control.

Stop managing an app

Stop managing apps that you no longer want to back up, snapshot, or clone from Astra Control.

- Any existing backups and snapshots will be deleted.
- Applications and data remain available.

Steps

1. Click **Apps**.
2. Click the checkbox for the apps that you no longer want to manage.
3. Click the **Action** drop-down and select **Unmanage application/s**.
4. Confirm that you want to unmanage the apps and then click **Yes, Unmanage Applications**.

Result

Astra Control stops managing the app.

Stop managing compute

Stop managing the compute that you no longer want to manage from Astra Control. As a best practice, we recommend that you remove compute from Astra Control before you delete it through GCP.

- This action stops your compute from being managed by Astra Control. It doesn't make any changes to the cluster's configuration and it doesn't delete the cluster.
- Trident won't be uninstalled from the cluster. [Learn how to uninstall Trident](#).

Steps

1. Click **Compute**.
2. Click the checkbox for the compute that you no longer want to manage.
3. Click the **Actions** drop-down and select **Unmanage compute/s**.
4. Confirm that you want to unmanage the compute and then click **Yes, Unmanage Compute**.

Result

Astra Control stops managing the compute.

Deleting clusters from your cloud provider

Before you delete a Kubernetes cluster that has persistent volumes (PV) residing on NetApp storage classes, you need to first delete the persistent volume claims (PVC) following one of the methods below. Deleting the PVC and PV before deleting the cluster ensures that you don't receive unexpected bills from your cloud provider.

- **Method #1:** Delete the application workload namespaces from the cluster. Do *not* delete the Trident namespace.

- **Method #2:** Delete the PVCs and the pods, or the deployment where the PVs are mounted.

When you manage a Kubernetes cluster from Astra Control, applications on that cluster use Cloud Volumes Service or Azure NetApp Files as the backend storage for persistent volumes. If you delete the cluster from your cloud provider without first removing the PVs, the backend volumes are *not* deleted along with the cluster.

Using one of the above methods will delete the corresponding PVs from your cluster. Make sure that there are no PVs residing on NetApp storage classes on the cluster before you delete it.

If you didn't delete the persistent volumes before you deleted the cluster, then you'll need to manually delete the backend volumes from Cloud Volumes Service for Google Cloud or from Azure NetApp Files.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.