



# **Networking overview for Cloud Sync**

## **Cloud Manager**

Ben Cammett  
August 03, 2021

# Table of Contents

- Networking overview for Cloud Sync ..... 1
  - Data broker location ..... 1
  - Networking requirements ..... 2
  - Networking endpoints ..... 2

# Networking overview for Cloud Sync

Networking for Cloud Sync includes connectivity between the data broker and the source and target locations, and an outbound internet connection from the data broker over port 443.

## Data broker location


You can install the data broker in the cloud or on your premises.

### Data broker in the cloud

The following image shows the data broker running in the cloud, in either AWS, GCP, or Azure. The source and target can be in any location, as long as there's a connection to the data broker. For example, you might have a VPN connection from your data center to your cloud provider.




When Cloud Sync deploys the data broker in AWS, Azure, or GCP, it creates a security group that enables the required outbound communication.



### Data broker on your premises

The following image shows the data broker running on-prem, in a data center. Again, the source and target can be in any location, as long as there's a connection to the data broker.



## Networking requirements

- The source and target must have a network connection to the data broker.

For example, if an NFS server is in your data center and the data broker is in AWS, then you need a network connection (VPN or Direct Connect) from your network to the VPC.

- The data broker needs an outbound internet connection so it can poll the Cloud Sync service for tasks over port 443.
- NetApp recommends configuring the source, target, and data broker to use a Network Time Protocol (NTP) service. The time difference between the three components should not exceed 5 minutes.

## Networking endpoints

The NetApp data broker requires outbound internet access over port 443 to communicate with the Cloud Sync service and to contact a few other services and repositories. Your local web browser also requires access to endpoints for certain actions. If you need to limit outbound connectivity, refer to the following list of endpoints when configuring your firewall for outbound traffic.

## Data broker endpoints

The data broker contacts the following endpoints:

Endpoints	Purpose
olcentgbl.trafficmanager.net:443	To contact a repository for updating CentOS packages for the data broker host. This endpoint is contacted only if you manually install the data broker on a CentOS host.
rpm.nodesource.com:443 registry.npmjs.org:443 nodejs.org:443	To contact repositories for updating Node.js, npm, and other 3rd party packages used in development.
tgz.pm2.io:443	To access a repository for updating PM2, which is a 3rd party package used to monitor Cloud Sync.
sqs.us-east-1.amazonaws.com:443 kinesis.us-east-1.amazonaws.com:443	To contact the AWS services that Cloud Sync uses for operations (queuing files, registering actions, and delivering updates to the data broker).
s3.region.amazonaws.com:443  For example: s3.us-east-2.amazonaws.com:443 <a href="#">See AWS documentation for a list of S3 endpoints</a>	To contact Amazon S3 when a sync relationship includes an S3 bucket.
s3.us-east-1.amazonaws.com:443	When you download data broker logs from Cloud Sync, the data broker zips its logs directory and uploads the logs to a predefined S3 bucket in the us-east-1 region.
cf.cloudsync.netapp.com:443 repo.cloudsync.netapp.com:443	To contact the Cloud Sync service.
support.netapp.com:443	To contact NetApp support when using a BYOL license for sync relationships.
fedoraproject.org:443	To install 7z on the data broker virtual machine during installation and updates. 7z is needed to send AutoSupport messages to NetApp technical support.
sts.amazonaws.com:443	To verify AWS credentials when the data broker is deployed in AWS or when it's deployed on your premises and AWS credentials are provided. The data broker contacts this endpoint during deployment, when it's updated, and when it's restarted.

## Web browser endpoints

Your web browser needs access to the following endpoint to download logs for troubleshooting purposes:

logs.cloudsync.netapp.com:443

## Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.